



GRACIA

Since 1997 in Shanghai China

GRACIA PRODUCTS (TSINGTAO) CO.,LTD.

ADD: TSINGTAO FREE-TRADE ZONE SHANDONG CHINA

Web: www.cngraciaproducts.com

Contact person: Soyme Meng

E-mail: info@graciagroup.cn

Tel: 0086-186-519-50301

Whats app: 008618651950301

Skype: 008618053005169


The professional manufacturer in China since 1997

Brief Introduction

Gracia Products (Tsingtao) Co.,Ltd. Is a professional manufacturer to make and export more than 50 different kinds of customized appliances since 1997 in Shanghai China .

More info : www.cngraciaproducts.com

More info, please scan by mobile phone:



Ranges of products

- Aerial Working Platform
- Carpet-cleaning equipment & Automotive detailing equipment
- Outdoor Patio heaters
- Industrial wire brushes
- Others spare parts

Sub-factories belong to GRACIA

- Gracia Products (Tsingtao) Co.,Ltd.
- Heze EVE Eco-products Co.,Ltd.
- Shandong REES Machinery Co.,Ltd.
- Changzhou Gracia Outdoor Appliances Co.,Ltd.
- Changzhou Altas International Co.,Ltd.
- Shanghai LYX Group

Focus on Aerial Working Platform

GRACIA is only focused on the indoor aerial working platform area for our customers as follows:

- Single Mast Vertical Lift (GRACIA-GTWY1)
- Double Mast Vertical Lift(GRACIA-GTWY2)
- Self-propelled Vertical Lift (GRACIA-AMWP)
- Self-propelled Scissor Lift (GRACIA-JCPT)
- Mobile Scissor Lift (GRACIA-JCPTPA)





- 带有安全锁定的调平支腿
Outrigger Interlock
- 防误操作按钮
Deadman switch
- 平台 AC 电源
AC power on Platform
- 紧急停止按钮
Emergency Stop Button
- 卡车装卸装置
Easily Loading to pickup truck
- 紧急下降系统
Emergency Lowering system
- 水平指示器
Leveling Bubble
- 标准叉车孔
Forklift Pocket
- 油管防爆系统
Cylinder Holding Valve

01 单柱移动铝合金平台 (插腿式)

GTWY1 SINGLE MAST VERTICAL LIFT

MODEL	GTWY1-5	GTWY1-6	GTWY1-8	GTWY1-9	GTWY1-10	GTWY1-12
Max Working Height	6.7M	8.2M	9.8M	11.2M	12.4M	14M
Max Platform Height	4.7M	6.2M	7.8M	9.4M	10.4M	12M
Loading Capacity	150kgs	150kgs	150kgs	150kgs	136kgs	120kgs
Occupant	1	1	1	1	1	1
Platform Dimension	0.67m x 0.66m	0.67m x 0.66m	0.67m x 0.66m	0.67m x 0.66m	0.67m x 0.66m	0.67m x 0.66m
Size	1.24m x 0.74m x 1.99m	1.24m x 0.74m x 1.99m	1.36m x 0.74m x 1.99m	1.40m x 0.74m x 1.99m	1.42m x 0.74m x 1.99m	1.46m x 0.81m x 2.68m
Outrigger coverage	1.7m x 1.7m	1.7m x 1.7m	1.6m x 1.6m	1.7m x 1.7m	1.9m x 1.7m	2.3m x 1.9m
Weight-AC	300kgs	320kgs	345kgs	365kgs	385kgs	460kgs
Weight-DC	335kgs	355kgs	380kgs	400kgs	420kgs	496kgs
Power						
AC/V	380V/220V /110V	380V/220V /110V	380V/220V/110V	380V/220V /110V	380V/220V/110V	380V/220V/110V
AC/M	0.75kw	0.75kw	0.75kw	0.75kw	0.75kw	0.75kw
DC/V	12V	12V	12V	12V	12V	12V
DC/M	1.5kw	1.5kw	1.5kw	1.5kw	1.5kw	1.5kw
Charger	12V/15A	12V/15A	12V/15A	12V/15A	12V/15A	12V/15A
FOB TSGT						





标准叉车孔
FORKLIFT POCKET



翻转式铝护栏
FOLDING-DOWN GUARDRAILS



防误操作和平台电源
DEADMAN SWITCH& AC POWER



支腿互锁
OUTRIGGER INTERLOCK

- 带有安全锁定的调平支腿
Outrigger Interlock
- 防误操作按钮
Deadman switch
- 平台 AC 电源
AC power on Platform
- 紧急停止按钮
Emergency Stop Button
- 紧急下降系统
Emergency Lowering system
- 水平指示器
Leveling Bubble
- 标准叉车孔
Forklift Pocket
- 油管防爆系统
Cylinder Holding Valve

02

双柱移动铝合金平台（插腿式）

GTWY2 DOUBLE MASTS VERTICAL LIFT

Model	GTWY2-6	GTWY2-8	GTWY2-10	GTWY2-12	GTWY2-14	GTWY2-16
Max Working Height	8M	10M	12.4M	14M	16M	18M
Max Platform Height	6M	8M	10.4M	12M	14M	16M
Loading Capacity	250kgs	250kgs	250kgs	200kgs	200kgs	150kgs
Occupant	2	2	2	2	2	1
Platform Dimension	1.45m x 0.7m	1.45m x 0.7m	1.45m x 0.7m	1.45m x 0.7m	1.80m x 0.7m	1.80m x 0.7m
Size	1.45m x 0.81m x 1.99m	1.45m x 0.81m x 1.99m	1.45m x 0.81m x 1.99m	1.45m x 0.81m x 1.99m	1.88m x 0.81m x 2.68m	1.88m x 0.81m x 2.68m
Outrigger coverage	2.45m x 1.75m	2.45m x 1.75m	2.45m x 2.10m	2.45m x 2.10m	2.70m x 2.80m	2.70m x 2.80m
Weight-AC	610kgs	645kgs	715kgs	750kgs	892kgs	996kgs
Weight-DC	660kgs	695kgs	765kgs	800kgs	942kgs	1046kgs
Power						
AC/V	380V/220V/110V	380V/220V/110V	380V/220V/110V	380V/220V/10V	380V/220V/10V	380V/220V/110V
AC/M	1.5kw	1.5kw	1.5kw	1.5kw	1.5kw	1.5kw
DC/V	2 x 12V	2 x 12V	2 x 12V	2 x 12V	2 x 12V	2 x 12V
DC/M	2.2kw	2.2kw	2.2kw	2.2kw	2.2kw	2.2kw
Charger	12V/15A	12V/15A	12V/15A	12V/15A	12V/15A	12V/15A
FOB TSINGTAO						



03

自行式铝合金平台

AMWP

SELF-PROPELLED VERTICAL LIFT

- 比例控制
Proportional controls
- 自动坑洞保护系统
Automatic pothole protection
- 全行程行走
Drivable at full height
- 无痕轮胎
Non-marking tyre
- 自动刹车系统
Automatic brake system
- 紧急下降系统
Emergency lowering system
- 紧急停止按钮
Emergency stop button
- 油管防爆系统
Cylinder holding valve
- 故障诊断系统
Onboard diagnostic system



Model	AMWP-7.5-1000	AMWP6-1000
Max Working Height	9.5M	8.0M
Max Platform Height	7.5M	6.0M
Loading Capacity	125kgs	150kgs
Occupant	1	1
Overall Length	1.40m	1.40m
Overall Width	0.82m	0.82m
Overall Height	1.98m	1.98m
Platform Dimension	0.78m x 0.70m	0.78m x 0.70m
Wheel Base	1.14m	1.14m
Turning Radius	0	0
Travel Speed (Stowed)	4km/h	4km/h
Travel Speed (Raised)	1.1km/h	1.1km/h
Up/Down Speed	48/40Sec	43/35Sec
Grade ability	25%	25%
Drive Tyre	Φ230mm x 80mm	Φ230mm x 80mm
Drive Motors	2 x 12VDC/0.4kw	2 x 12VDC/0.4kw
Lifting Motor	24VDC/2.2KW	24VDC/2.2KW
Battery	2 x 12V / 85AH	2 x 12V / 85AH
Charger	24V/11A	24V/11A
Weight	1190kgs	954kgs
FOB TSINGTAO CHINA		

04

自行剪叉平台

JCPT

SELF-PROPELLED SCISSOR LIFT

Model	JCPT0307	JCPT0407
Loading Capacity	240kgs	240kgs
Max Platform Height	3M	4M
Occupants	1	1
Platform Dimension	1.15 m x 0.6m	1.15m x 0.6m
Overall Length	1.32M	1.32M
Overall Width	0.76M	0.76M
Overall Height	1.83M	1.92M
Platform Extension	0.55M	0.55M
Extension Load	100 KGS	100 KGS
Up/Down Speed	34/20SEC	34/25SEC
Turning Radius	0	0
Max Slope	1.5°/2°	1.5°/2°
Drive Tyre	Φ230mm x 80mm	Φ230mm x 80mm
Grade Ability	25%	25%
Wheel Base	1M	1M
Travel Speed (Stowed)	4km/h	4km/h
Travel Speed (Raised)	0.5km/h	0.5km/h
Battery	2 x 12V/80AH	2 x 12V/80AH
Lifting Motor	24V/0.8KW	24V/0.8KW
Drive Motor	2 x 24V/0.3KW	2 x 24V/0.3KW
Charger	24V/12A	24V/12A
Weight	630kgs	660kgs
FOB TSINGTAO CHINA		

- 比例控制
Proportional controls
- 自动坑洞保护系统
Automatic pothole protection
- 全行程行走
Drivable at full height
- 无痕轮胎
Non-marking tyre
- 自动刹车系统
Automatic brake system
- 紧急下降系统
Emergency lowering system
- 紧急停止按钮
Emergency stop button
- 油管防爆系统
Cylinder holding valve
- 故障诊断系统
Onboard diagnostic system



05

移动剪叉平台

JCPT-PA

MOBILE SCISSOR LIFT



Model	JCPT03PA	JCPT04PA
Loading Capacity	240kgs	240kgs
Max Platform Height	3M	3.9M
Occupants	1	1
Platform Dimension	1.15 m x 0.6m	1.15m x 0.6m
Overall Length	1.32M	1.32M
Overall Width	0.76M	0.76M
Overall Height	1.83M	1.92M
Up/Down Speed	34/20sec	34/25sec
Drive Tyre	6IN/8IN	6IN/8IN
Wheel Base	1M	1M
Battery	12V/100AH	12V/100AH
Lifting Motor	12V/0.8KW	12V/0.8KW
Drive Motor	2 x 24V/0.3KW	2 x 24V/0.3KW
Charger	12V/12A	12V/12A
Weight	482kgs	516kgs
FOB TSINGTAO CHINA		

