

Extractor

- Solution tank : 45L
- Recovery tank : 38L
- Pump : 0-500 psi (Piston pump from PUMPTEC)
- Vac : 2 x 1400w vac motor AMETEK
- Heaters : 2000W (water can reach 40-60 degree to clean carpet)
- Water recovery rate : more than 90%
- 10 inch wheels with chemical blanket.

Plus Patent tech :

- Water auto imputing function
- Water off alarming system
- Vac auto-stop function
- Base tank air-cloding system
- Drainage water auto pump out

Portable Extractor Package



Hose combo :

- 10 meters vac hose
- 10 meters spray hose
- (20 meters optional)

Traditional wands : long and shorts wands .

This is a package deal , including three parts . We build features into our simple package simple carpet-extractor with traditional wand that sets it apart from other extractor on the market. Designed for the busy professional, the contractor's target is powerful,heated,efficient,easy to use , and durable.

Packing data

- Packing carton size : 1100mm x 600mm x 800mm
 - Hose combo with wands carton : 1500mm x 400mm x 400mm
 - Gross weight : 50 kg
 - 1 x 20 GP : 45 sets
 - 1 x 40 GP : 90 sets
 - 1 x 40HC : 100 sets
- Delivery time : 25-30 days

Extractor

- Solution tank : 45L
- Recovery tank : 38L
- Pump : 0-500 psi (1200psi optional)-**PUMPTEC**
- Vac : 2 x 1400w vac motor **AMETEK**
- Heaters : 2000W (water can reach 40-60 degree to clean carpet)
- Water recovery rate : more than 90%
- 10 inch wheels with chemical blanket.

Plus Patent tech :

- Water auto imputing function
- Water off alarming system
- Vac auto-stop function
- Base tank air-cloding system
- Drainage water auto pump out

Hose combo :

- 10 meters vac hose
- 10 meters spray hose
- 10 meters power cord
- (20 meters optional)

Packing data

- Carton : 1500mm x 1400mm x 1100mm
- Weight : 175 kgs
- Wooden carton packing

Packing including

- Extractor: 1 set
- Hose combo : 1 set
- TRE cleaning head : 1 set
- Wands : 2 sets (long & short each)

TRE : Total Rotary Extractor cleaning head with 15inch

- The peak position in carpet cleaning tech , called ; KING in industry
- 15 inch TRE cleaning head (**24 inch with twins design optional**)
- RPM : 160
- Motor : 1.5HP
- 6 pcs spray jets
- 6 pcs vac slots
- 6 pcs pre-installed brushes
- Efficiency : 300-500 square meters per hour for deeply cleaning carpet .
- Water recovery rate : 90% - 95%
- Carpet dry time : less than 2 hours
- All cover and handlers are stainless steel 304 (most of US / EU is plastic)

TRE with BITE carpet

This TRE carpet cleaning package is in the peak position design in carpet cleaning industry and the working efficiency is much more powerful nearly 40% than others in current market . You must never see this patent design before in the market to ensure our machine can do all works to instead of the traditional wand carpet cleaning methods .

More information, please contact our distributor nearby your location to ask for more tech and price !

TRE Extractor Package



Orbital All-Surface Floor Machines use orbiting technology to combine two movements that thoroughly clean all surface types. They feature a very-low moisture (VLM) spray system to promote a clean and healthy environment by reducing mold and mildew. A weighted deck plates allows for deep scrubbing action. These versatile machines are extremely easy to use and can be used to scrub, sand, and polish virtually all flooring types.

Powerful 1.5HP Motor with 1100W
Patent offset bearing



ORBITING TECHNOLOGY is a unique system using an offset gear to produce two separate movements to more effectively clean.

- 1.The head rotates around the center of the driver plate.
- 2.The offset gear produces a second random orbital movement that results in little to


Wire pads including :

- Red wire pad : 1 sets x 17inch
- Black wire pad : 1 set x 17inch
- Microfiber pads : 2 sets x 19inch
- Polishing pads : 3 sets x 19inch

These pads makes "One machine for all surface "

- All in One : All functions combine into one machine(Polishing / scrubber / grout / tile etc)
- One for All : one machine for all surface : carpet / marble / wooden / concrete etc)

Orbital All Surface Floor Machine



Operating Plate (Power & Spray system controller)

15L Solution tank with 3mm thickness

Spray system

- Front spray jets
- Spray gun with 5 meters pipe
- Pump : 60PSI
- Direction adjustable

10 inch wheel to move easily
Handler helper

Polished aluminum torsion arms.
Durable stainless-steel deck plate adds stabilizing weight for smooth operation and deep cleaning.

Packing data

- Packing carton size : 1325mm x 515mm x 785mm
- Gross weight : 80 kg
- 1 x 20GP : 44 sets
- 1 x 40GP : 88 sets
- 1 x 40HC : 112 sets

OEM service acceptable

Delivery time : 25-30 days